

H250E PROCESSOR



A KNUCKLEBOOM LOADER-STYLE ROADSIDE PROCESSOR.

Tigercat[®]
Tough • Reliable • Productive

H250E PROCESSOR

THE H250E OFFERS ADVANTAGES OVER EXCAVATOR CONVERSIONS INCLUDING HIGHER COOLING CAPACITY AND BETTER ACCESS TO COMPONENTS AND SERVICE POINTS. PROCESSOR-OPTIMIZED LOAD SENSING HYDRAULICS AND SWING PRIORITY DELIVER HIGH PERFORMANCE. PAIR THE H250E PROCESSOR WITH A TCI HARVESTING HEAD FOR A FACTORY INSTALLED ROADSIDE PROCESSING SOLUTION.


KEY BENEFITS

- ▶ High rise cab. Excellent operator visibility, better performance in high deck applications
- ▶ Efficient load sensing hydraulic system. High performance, low fuel consumption
- ▶ Tigercat-built F8 forestry undercarriage. Excellent stability, ground clearance and tractive effort
- ▶ Clear access to pump, valves and engine. Far superior to excavator conversions
- ▶ Job ready. No additional guarding or add-ons required for roadside processing
- ▶ Large diameter swing bearing. Powerful swing torque, smooth starts and stops



WORK IN COMFORT

- ▶ The new operator's cab has 16% larger volume with increased width and more leg room.
- ▶ Improved A/C and heater controls allows the operator to set the desired temperature for a more comfortable working environment. A climate controlled cupholder keeps drinks hot or cold for longer.
- ▶ Dedicated storage areas include space for a full size Tigercat insulated lunchbox behind the seat.



SERVICE MADE SIMPLE

- ▶ The large panel on the cab platform provides unmatched access to engine service points. The removable deck plates on the platform allows for easy access to hydraulic valves and hoses.



ROCK-SOLID STABILITY

- ▶ The Tigercat-built full forest duty undercarriage provides excellent tractive effort for mobility on or between decks. The large footprint offers excellent stability for increased operator comfort and reduced fatigue.



H250E PROCESSOR

POWER: 151 kW (203 hp)
 REACH: 9,75 m (32 ft)
 WEIGHT: 26,535 kg (58,500 lb)



Scan the QR code then click 'SPECS' for a full list of machine specifications for the H250E processor.

Download the Tigercat Industries App to access the most current machine specifications for all Tigercat and TCI machine models.

EMAIL	comments@tigercat.com
PHONE	519.753.2000
WEBSITE	www.tigercat.com
ADDRESS	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
MAIL	Box 637 N3T 5P9