

# M726G MULCHER



SUITED TO ROW, VEGETATION MANAGEMENT AND  
COMMERCIAL CLEARING APPLICATIONS.

**TCi**<sup>®</sup>

THE M726G IS A PURPOSE-BUILT MULCHER CARRIER. PROVEN PRODUCTIVITY AND HIGH UPTIME PROVIDE THE CONFIDENCE TO HANDLE TIME SENSITIVE ROW AND OTHER VEGETATION AND FOREST DEBRIS MANAGEMENT PROJECTS. PAIR THE M726G WITH THE 4061-25 MULCHING HEAD FOR AN ALL TIGERCAT-TCi SOLUTION.

### KEY BENEFITS

- ▶ Large attachment pump. High flow to the mulching head
- ▶ High capacity cross-flow cooling. Automatic variable speed for improved fuel efficiency., automatic reversing cycle
- ▶ Optional multi-function mulcher/feller buncher hydraulic system and quick attach boom adapter for increased versatility
- ▶ Compartmentalized layout separates the cooling system, engine, and hydraulic components
- ▶ Boom float system. The mulching head automatically follows terrain contours
- ▶ High-lift boom geometry. Improved performance on sloped terrain
- ▶ Long-life centre section constructed with thick steel plate, large diameter pins and tapered roller bearings
- ▶ Clear access to engine, hydraulic components, filters and other service points for painless maintenance routines



## OPERATING ENVIRONMENT

- ▶ Heated and cooled air-ride seat with ergonomic armrest mounted joysticks for steering and boom functions.
- ▶ Quiet interior to take advantage of the Bluetooth® sound system with hands free calling. Excellent visibility to the rear tires.



## REAL VERSAILITY

- ▶ An optional multi-function hydraulic system and quick attach boom adapter allows the machine to be quickly and easily switched from a mulcher to a feller buncher for increased versatility and the ability to fell large or merchantable timber in forestry applications.



## KEEPING IT COOL

- ▶ Cross-flow cooling, hydraulically driven automatic variable speed fan, automatic reversing cycle for clean and efficient cooling air-flow.
- ▶ The cross-flow cooling system has a large surface area and excellent air flow-through for optimal cooling capacity and extended component life.



**M726G MULCHER**

POWER: 275 Kw (370 hp)  
 TOP SPEED: 16 km/h (14.5 mph)  
 WEIGHT: 14 880 kg (32,800 lb)



Scan the QR code then click 'SPECS' for a full list of machine specifications for the M726G mulcher.

**Download the Tigercat-TCi App or visit [tigercat.com](http://tigercat.com) to access the most current machine specifications for all Tigercat and TCi machine models.**

<b>EMAIL</b>	comments@tigercat.com
<b>PHONE</b>	519.753.2000
<b>WEBSITE</b>	www.tigercat.com
<b>ADDRESS</b>	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
<b>MAIL</b>	Box 637 N3T 5P9

© 2001 - 2026 Tigercat International Inc. All Rights Reserved. TIGERCAT, WIDERANGE, TURNAROUND, ER, EHS, LOW-WIDE, TEC, REMOTELOG, LOGON, TCI, and their respective logos, TOUGH RELIABLE PRODUCTIVE, TIGERCAT TV, "Tigercat Orange" and BETWEEN THE BRANCHES, as well as corporate and product identity, are trademarks of Tigercat International Inc., and may not be used without permission. TIGERCAT, TCI, TURNAROUND, WIDERANGE, EHS, LOW-WIDE, ER and REMOTELOG, and their respective logos are registered trademarks of Tigercat International Inc.