

4161-15 MULCHING HEAD



A DURABLE AND PRODUCTIVE SWING-TO-TREE MULCHING HEAD
FOR TRACK CARRIERS.

Tigercat[®]
Tough • Reliable • Productive



BUILT TOUGH FOR UNMATCHED RELIABILITY.

- ▶ Tigercat heavy duty build quality and strength
- ▶ Carbide hard facing on anvils and skis
- ▶ Field proven components; bearings, sprockets, seals and timing belt are all common to 4061 series mulching heads



VARIETY OF OPTIONS TO SUIT THE APPLICATION

- ▶ Tool choices include standard carbide, impact resistant carbide, and hardened steel knife style
- ▶ Standard open face or feed control rotor with rakers to manage depth of cut and limit load on machine

OPTIMIZED FOR HIGH PRODUCTIVITY IN TIGHT SPACES

- ▶ 130° hydraulic wrist pivot for increased dexterity
- ▶ A pin-on rake is standard to aid in clearing brush and trees

WELL PROTECTED FOR DURABILITY


- ▶ Through-the-tip hose routing for minimized exposure, and enhanced protection
- ▶ Robust housing with reinforced side covers

EXCELLENT SERVICEABILITY

- ▶ Removable access covers to allow for easy maintenance on wear items and service points
- ▶ Wear liner is secured with clamping plates, no welding required, and can be replaced without removing the rotor or anvils



4161-15 MULCHING HEAD



Scan the QR code then click 'SPECS' for a full list of machine specifications for the 4161-15 Mulching Head.

Download the TigerCAT App or visit tigercat.com to access the most current machine specifications for all TigerCAT machine models.

EMAIL	comments@tigercat.com
PHONE	519.753.2000
WEBSITE	www.tigercat.com
ADDRESS	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
MAIL	Box 637 N3T 5P9