

6440 CHIPPER



HEAVY-DUTY DRUM CHIPPER DESIGNED FOR HIGH PRODUCTION
AND EASE OF OPERATION.

Tigercat[®]
Tough • Reliable • Productive

THE 6440 IS A HIGH HORSEPOWER DRUM CHIPPER. DESIGNED FOR HIGH PRODUCTION AND HIGH UPTIME, THE 6440 EMPLOYS A THROUGH-DRIVE AND BELT SYSTEM TO TURN THE ROTOR, ELIMINATING THE NEED FOR A CLUTCH.

KEY BENEFITS

- ▶ Belt-driven rotor system with flex coupling and drive adapter eliminates the need for a clutch
- ▶ Discharge set at an optimal angle to efficiently discharge a high volume of chips without the assistance of an accelerator
- ▶ Optional chip accelerator for micro chip applications
- ▶ Adjacent to the toolbox, the access platform and large rotor hood provides a comfortable work area when changing knives
- ▶ Access door located at the bottom feed roll, infeed head pulley, side doors, and top slide plate allow for effective debris clearing
- ▶ Three-piece removable belt cover with access door for convenient inspection and tensioning



HIGH OUTPUT DISCHARGE

- ▶ The discharge chute angle is optimized to allow for high volume output without the assistance of an accelerator. Fully adjustable end chute to allow proper filling of trailers.
- ▶ An optional chip accelerator is available for micro chip applications.



THROUGH-DRIVE ROTOR SYSTEM

- ▶ The rotor drive belt is driven off the engine using a flex coupling and a drive adapter developed by Tigercat Industries.
- ▶ The engine base extends and retracts to engage or disengage the drive belts eliminating the need for a clutch.




EXCELLENT SERVICE ACCESS

- ▶ Platforms and steps are located around the machine at maintenance and service areas such as engine air filters, hydraulic oil filters, fuel fill cap.
- ▶ A centralized service area in the centre of the machine allows access to hydraulics, electrical components, and engine filters.



6440 CHIPPER

POWER: 597 kW (800 hp)
 WEIGHT: 26 535 kg (58,500 lb)
 WIDTH: 2 590 mm (102 in)
 INFEEED WIDTH: 1 040 mm (41 in)



Scan the QR code then click 'SPECS' for a full list of machine specifications for the 6440 chipper.

Download the TigerCAT-TCi App to access the most current machine specifications for all TigerCAT and TCi machine models.

EMAIL	comments@tigercat.com
PHONE	519.753.2000
WEBSITE	www.tigercat.com
ADDRESS	54 Morton Ave. East, Brantford, Ontario Canada, N3R 7J7
MAIL	Box 637 N3T 5P9

© 2001 - 2026 TigerCAT International Inc. All Rights Reserved. TIGERCAT, WIDERANGE, TURNAROUND, ER, EHS, LOW-WIDE, TEC, REMOTELOG, LOGON, TCI, and their respective logos, TOUGH RELIABLE PRODUCTIVE, TIGERCAT TV, "TigerCAT Orange" and BETWEEN THE BRANCHES, as well as corporate and product identity, are trademarks of TigerCAT International Inc., and may not be used without permission. TIGERCAT, TCI, TURNAROUND, WIDERANGE, EHS, LOW-WIDE, ER and REMOTELOG, and their respective logos are registered trademarks of TigerCAT International Inc.